IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A continuous method of production of carbon nanotubes, comprising:

continuously providing substrate particles;

providing on the substrate particles a transition metal compound that is a nickel, iron or cobalt formate or oxalate which is decomposable to yield the <u>a</u> transition metal catalyst under a non-reducing atmosphere permitting carbon nanotube formation;

fluidizing the substrate particles with a flow of gaseous carbon source;

heating the transition metal formate or oxalate on the substrate particles;

before, during or after contacting the gaseous carbon source with the substrate particles, decomposing the transition metal formate or oxalate to yield the transition metal <u>catalyst</u> on the substrate particles <u>by heating without reduction</u>;

forming <u>single walled</u> carbon nanotubes by decomposition of the carbon source catalysed by the transition metal <u>catalyst</u>, wherein the catalyst is not pre-treated with hydrogen gas; and

collecting the single walled carbon nanoparticles formed by elution.

- 2.-6. (Cancelled).
- 7. (Previously Presented) A method as claimed in Claim 1, wherein the gaseous carbon source is a hydrocarbon or carbon monoxide.
- 8. (Original) A method as claimed in Claim 7, wherein the gaseous carbon source is methane or acetylene.

- 9. (Previously Presented) A method as claimed in Claim 1, wherein the gaseous carbon source is passed over the substrate particles.
- 10. (Previously Presented) A method as claimed in Claim 1, wherein the gaseous carbon source is mixed with a diluent.
 - 11. (Original) A method as claimed in Claim 10, wherein the diluent is argon.
- 12. (Previously Presented) A method as claimed in Claim 1, wherein the substrate particles comprise oxide particles and/or silicate particles.
- 13. (Original) A method as claimed in Claim 12, wherein the substrate particles comprise one or more of silica, alumina, CaSiO_x calcium oxide or magnesium oxide.
- 14. (Previously Presented) A method as claimed in Claim 1, wherein the substrate particles are in the form of a fumed powder, a colloid, a gel or an aerogel.
 - 15. (Cancelled)
- 16. (Currently Amended) A method as claimed in Claim 15 Claim 1, wherein the transition metal compound is decomposed by heating to a temperature between 200°C and 1000°C.
- 17. (Original) A method as claimed in Claim 16, wherein the transition metal compound is decomposed by heating to a temperature between 600°C and 1000°C.
 - 18. (Cancelled)
 - 19. (Cancelled)

20. (Currently Amended) A method as claimed in Claim 1, further comprising the <u>an</u> initial step of impregnating the substrate particles with the transition metal compound.

21.-22. (Cancelled).

23. (Currently Amended) A method as claimed in Claim 1, comprising: continuously providing substrate particles to an upper part of an inclined surface; contacting the substrate particles on the inclined surface with a flow of gaseous carbon source;

heating the transition metal compound on the substrate particles; and collecting <u>single walled</u> carbon nanotubes formed from a lower part of the inclined surface.

- 24. (Currently Amended) A method as claimed in claim 1, wherein heating the transition metal compound on the substrate particles to decompose the transition metal compound to the transition metal <u>catalyst</u> occurs before contacting the substrate particles with the flow of gaseous carbon source.
- 25. (Previously Presented) A method as claimed in Claim 24, wherein the transition metal compound is nickel formate and the substrate particles are silica particles.
 - 26. (Cancelled)